



NEUTRONLUB

THE BEST HI-TECH FLUID & COMPOUNDS - USA



NEUTRON 930 FG FOOD GRADE MULTI-PURPOSE & AW HYDRAULIC OIL

Neutron 930FG The Food Grade Multi-Purpose Oils Have been formulated to fulfill the requirements of both Multi-Purpose and Hydraulic Lubrication in all plants. These oils possess anti-wear, anti-rust, antifoam, and anti-oxidation additives, along with a selected EP package.

Neutron 930 FG Oils are used in central and circulating lubrication systems, drip cups, oil cans, oil reservoirs, and all types of manual applications. They satisfy hydraulic pump anti-wear demands, and rust and oxidation provisions for hydraulic systems on all types of equipment where a non-toxic lubricant is recommended or dictated!

- Extended part life
- Superior oxidation resistance
- Excellent water separation properties
- Water clear color
- **Multi-Purpose service!**

TECHNICAL SPECIFICATION

| | ASTM TEST | | R E S U L T | | | |
|--------------------|-----------|--|-------------|-------|-------|-------|
| ISO VG | 32 | | 46 | 68 | 100 | |
| USDA Rating | H1 | | H1 | H1 | H1 | |
| Viscosity | | | | | | |
| @ 40 °C | D-445 | | 31 | 45 | 67 | 108 |
| @ 100 °C | D-445 | | 5.2 | 6.8 | 8.9 | 12.5 |
| Gravity, @ 15,4 °C | D-287 | | 0.840 | 0.846 | 0.865 | 0.955 |
| Flash Point, °C | D-92 | | 119 | 200 | 201 | 201 |
| Pour Point, °C | D-97 | | -34 | -34 | -32 | -32 |
| Viscosity Index | D-2270 | | 112 | 115 | 115 | 115 |
| Color | Clear | | Clear | Clear | Clear | Clear |

NEUTRON FLUID & COMPOUNDS DIVISION

Value shown here are typical and may vary. NEUTRON FLUID & COMPOUNDS DIVISION reserves the right to change or modify this product for purpose of improving its performance characteristics.